



COELAN Thixotropic Agent

Technical Data Sheet

(Issue: 2023-03-14)

Application areas:

By adding a proportional amount of this product to COELAN liquid-applied waterproofings and COELAN filler systems, it ensures the thixotropic behaviour when working on vertical surfaces such as wall connections, balcony fronts etc.

Colour / Gloss:

- white

Product features:

- ready to use

Package size:

1 kg box

Material consumption:

- at least 0.3 to 8 % (depending on the area of use)

Shelf Life:

Store in closed original containers in dry rooms.

Mixing ration:

- ready to use

Specific gravity:

approx. 43 g/l

Disposal

Disposal when liquid:

/

Disposal when cured:

EAK 17 02 03

Application temperature:

Please refer to technical data sheets of the respective synthetic resin products.

Application Instructions:

- When using a thixotropic agent the processing time of the product will reduce.
- Carefully add the proportion of COELAN Thixotropic Agent in % by wt. to the respective liquid polymer and then mix it in evenly.
- Take care when pouring in the material! The product COELAN Thixotropic Agent is very light and is quickly blown away by the wind.

For additional information, please refer to the system product's respective Technical Data Sheets and work instructions.

Important notice

Hazard notes, protective measures, hazardous material classes and disposal can be found in the safety data sheet of this product.

The amount of 1 litre corresponds to approx. 43 g COELAN Thixotropic Agent.

Based on our experience and to the best of our knowledge, this technical data is up to date and all information is current. As there might be operating conditions of which we have no knowledge and cannot have any knowledge, this data sheet shall be considered for information only and without responsibility. For the benefit of technical advances and the outcome of such advances, we reserve the right to make changes to the data without any prior notification. With the issuance of this publication, all prior technical information shall be considered null and void. When you contact us, you have the option to take advantage of our technical service consultants to find out about the various applications. Please be advised that all agreements and/or confirmations must be made in writing. Please ensure to request a written confirmation after receiving a verbal statement. For the rest, our terms and payment conditions apply.